



# ULV Flushing Solution

For Flushing ULV (Cold Aerosol) Insecticide Generators - Will Dissolve Insecticide Residues in ULV Equipment Used for Mosquito Adulticiding

## INGREDIENTS

Solvent, Naphtha (petroleum), Heavy Aromatic ..... 100.0%

## PACKAGED BY

**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**

159 North Garden Ave

Roselle, Illinois 60172 USA

For More Information Call: 1-800-323-5727

In case of MEDICAL EMERGENCY, call POISON CONTROL:

1-800-24-7753

In case of TRANSPORTATION EMERGENCY, call INFO-TRAC:

1-800-553-5053

## DIRECTIONS FOR USE

**Machines Equipped with Flushing Systems:** Use undiluted. Fill flushing solution tank with this product, and then follow equipment manufacturer's directions for dispensing through machine.

**Machines Without Flushing Systems:** Fill a one (1) pint plastic or glass bottle with ULV Flushing Solution. Disconnect insecticide drop pipe tube from insecticide tank of machine. Place drop pipe tube in bottle containing flushing solution. Start machine and allow flushing solution to flow through the equipment until all residue has been rinsed from system.

### "EMPTY" CONTAINER WARNING:

Empty containers contain residue (liquid and/or vapor) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind or expose container to heat, flame, sparks, static electricity or other sources of ignition.

**Net Contents:** [ ] 2.5 Gallons [ ] 5.0 Gallons

[ ] 30 Gallons [ ] 55 Gallons

**Packaging Date:** \_\_\_\_\_

## HAZARD PICTOGRAMS



## DANGER

### COMBUSTIBLE LIQUID

**MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS**

**MAY CAUSE DROWSINESS OR DIZZINESS**

**SUSPECTED OF CAUSING CANCER**

## PRECAUTIONARY STATEMENTS

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Avoid breathing vapors/spray. Use only outdoors in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection, and face protection. Contaminated work clothing must not be allowed out of the workplace.

**IN CASE OF FIRE:** use foam, dry chemical or carbon dioxide to extinguish.

### FIRST AID

If exposed or concerned call a poison center or doctor, and get medical attention if you feel unwell.

If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting.

If inhaled: Remove person to fresh air and keep comfortable for breathing.