Prescription Treatment brand

Peclude In

Micro Total Release Insecticide

FOR COMMERCIAL USE ONLY

١	F	N	R	1	1	S	F	П	V	•	G	re	9	ا:	٦l	า	n	П	SI	٥	;

KILLS: Aphids, Caterpillars, Cutworms, Leafminers, Mealybugs, Mites, Scale, Thrips, Weevils and Whiteflies.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals

ACTIVE INGREDIENTS:

MOTIVE III MILEDIEII I O.		
Fenoxycarb	 	 4.8%
,		
OTHER INCREDIENTS.		

EPA Reg. No. 499-437 EPA Est. No. 499-MO-1 KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60°-80°F. Shut off all exhaust fans and close all windows, doors and ventilators. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Keep greenhouse closed for four hours, preferably overnight, following treatment. All human occupants and pets must be removed before treatment. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE: Preclude® TR Micro Total Release Insectide contains an insect growth regulator. Initially two applica-

tions should be made one week apart. Additional applications should be applied as necessary, but no more than once per week. Use one 2 oz. can per 3,000 square feet. In

situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2 oz. can.

Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemicalresistant gloves, such as Barrier Laminate or Butyl Rubber or Nitrite Rubber or Neoprene Rubber or PVC or Viton, Shoes plus socks.

FOR USE IN GREENHOUSES ON:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

PLANT SAFETY NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

PRECAUTIONARY STATEMENTS

FIRST AID

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Wear long-sleeved shirt and long pants, socks and shoes and chemical resistant gloves (such as nitrile, Butyl, Neoprene, and/or Barrier Laminate).

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, chemical resistant footwear plus socks, and Chemical-resistant gloves (Such as nitrile, Butyl, Neoprene and/or Barrier Laminate or PVC or Viton). Follow manufacturer's instructions for cleaning/

maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



ADDITIONAL PRECAUTIONS: Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 1999 Whitmire Micro-Gen Research Laboratories, Inc.

