AMBER® CUSTOM-PAK

Date: 7/7/2015 Replaces: 3/31/2015



1. PRODUCT IDENTIFICATION

Product identifier on label:	AMBER® CUSTOM-PAK
Product No.:	A7492A
Use:	Herbicide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Inhalation: Category 4
Signal Word (OSHA):	Warning
Hazard Statements:	Harmful if inhaled

Hazard Symbols:



Precautionary Statements:	Avoid breathing dust.
	Use only outdoors or in a well-ventilated area.
	If inhaled: Remove person to fresh air and keep comfortable for breathing.
	Call a poison center, doctor or Syngenta if you feel unwell.
Other Hazard Statements:	May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Other ingredients	Other ingredients	Trade Secret	25.0%
3-(6-methoxy-4-methyl-1,3,5-triazin-2-yl)-1- [2-(2-chloroethoxy)phenylsulfonyl]-urea	Triasulfuron	82097-50-5	75.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

AMBER® CUSTOM-PAK

Date: 7/7/2015 Replaces: 3/31/2015



4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Avoid dust formation.

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

AMBER® CUSTOM-PAK

Date: 7/7/2015 Replaces: 3/31/2015



7. HANDLING AND STORAGE

Precautions for safe handling:

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material could become charged under certain conditions such as pneumatic conveying.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Triasulfuron	Not Established	Not Established	3 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

AMBER® CUSTOM-PAK

Date: 7/7/2015 Replaces: 3/31/2015

9. PHYSICAL AND CHEMICAL PROPERTIES



Appearance: Grey granules Odor: Odorless Odor Threshold: Not Available pH: 6 - 7 (10% suspension in H2O) Melting point/freezing point: 367 °F Initial boiling point and boiling range: Not Applicable Flash Point (Test Method): Not Applicable Flammable Limits (% in Air): Not Available Flammability: Not Applicable Vapor Pressure: Triasulfuron < 1.5 x 10(-8) mmHg @ 77°F (25°C) Vapor Density: Not Available Relative Density: 0.50 - 0.70 g/cm³ Solubility (ies): Triasulfuron 815 mg/l @ 77°F (25°C) Partition coefficient: n-octanol/water: Not Available Autoignition Temperature: Not Available Decomposition Temperature: Not Available Viscosity: Not Available Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive. Chemical stability: Stable under normal use and storage conditions. Possibility of hazardous reactions: Will not occur. Conditions to Avoid: None known. Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

<u>Health effects information</u> Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rabbit) : > 5050 mg/kg body weight

syngenta®

MBER®	CUSTO	DM-PAK					
Date:	7/7/2015						
eplaces:	3/31/2015						
Dermal:		Dermal (LD50 Rat):	> 2010 mg/kg body	y weight		
Inhalatio	on:	Inhalation (LC50 F	at):	> 2.5 mg/l air - 4 ho	ours		
Eye Con	ntact:	Minimally Irritating	(Rabbit)				
Skin Cor	ntact:	Non-Irritating (Rab	bit)				
Skin Ser	nsitization:	Not a Sensitizer (G	Guinea Pig)				
-	ve/Developmer uron: None ob	served.					
<u>Carcinogen</u>	uron: Liver, kic <u>iicity</u>	ney, spleen and blo	od effects.				
Triasulfu <u>Carcinogen</u>	uron: Liver, kic <u>icity</u> uron: None ob	ney, spleen and blo		OSHA Carcinogen			
Triasulfu <u>Carcinogen</u> Triasulfu	uron: Liver, kic <u>iicity</u> uron: None ob ame	ney, spleen and blo		OSHA Carcinogen		 	
Triasulfu Carcinogen Triasulfu Chemical N Other ingree 3-(6-methox (2-chloroeth	uron: Liver, kic <u>iicity</u> uron: None ob ame dients xy-4-methyl-1,3 noxy)phenylsulf	,5-triazin-2-yl)-1-[2-	NTP/IARC	OSHA Carcinogen			
Triasulfu Carcinogen Triasulfu Chemical N Other ingree 3-(6-methox (2-chloroeth	uron: Liver, kic <u>iicity</u> uron: None ob ame dients xy-4-methyl-1,3	,5-triazin-2-yl)-1-[2-	NTP/IARC No	OSHA Carcinogen			
Triasulfu Carcinogen Triasulfu Chemical N Other ingres 3-(6-methox (2-chloroeth Other Toxici None Toxicity of C Other ing	uron: Liver, kic <u>iicity</u> uron: None ob ame dients xy-4-methyl-1,3 noxy)phenylsulf	ney, spleen and blo served. ,5-triazin-2-yl)-1-[2- onyl]-urea	NTP/IARC No	OSHA Carcinogen			
Triasulfu Carcinogen Triasulfu Chemical N Other ingres 3-(6-methox (2-chloroeth Other Toxici None Toxicity of C Other ing	uron: Liver, kic <u>iicity</u> uron: None ob ame dients xy-4-methyl-1,3 hoxy)phenylsulf ity Information <u>Other Compone</u> gredients Not Applicable	ney, spleen and blo served. ,5-triazin-2-yl)-1-[2- onyl]-urea	NTP/IARC No	OSHA Carcinogen			
Triasulfu Carcinogen Triasulfu Chemical N Other ingres 3-(6-methox (2-chloroeth Other Toxici None Toxicity of C Other ing Target Orga Active In	uron: Liver, kic <u>icity</u> uron: None ob ame dients xy-4-methyl-1,3 hoxy)phenylsult ity Information Other Compone gredients Not Applicable ins igredients	ney, spleen and blo served. ,5-triazin-2-yl)-1-[2- onyl]-urea	NTP/IARC No No				
Triasulfu Carcinogen Triasulfu Chemical N Other ingre 3-(6-methox (2-chloroeth Other Toxici None Toxicity of C Other ing Target Orga Active In Triasulfu	uron: Liver, kic <u>iicity</u> uron: None ob <u>ame</u> dients xy-4-methyl-1,3 noxy)phenylsulf ity Information <u>Other Compone</u> gredients Not Applicable <u>ins</u> <u>igredients</u> uron:	ney, spleen and blo served. ,5-triazin-2-yl)-1-[2- onyl]-urea	NTP/IARC No				
Triasulfu Carcinogen Triasulfu Chemical N Other ingres 3-(6-methox (2-chloroeth Other Toxici None Toxicity of C Other ing Target Orga Active In Triasulfu Inert Ing	uron: Liver, kic <u>iicity</u> uron: None ob <u>ame</u> dients xy-4-methyl-1,3 noxy)phenylsulf ity Information <u>Other Compone</u> gredients Not Applicable <u>ins</u> <u>igredients</u> uron:	ney, spleen and blo served. ,5-triazin-2-yl)-1-[2- onyl]-urea <u>nts</u> Liver, ł	NTP/IARC No No				

Eco-Acute Toxicity Triasulfuron: Fish (Rainbow Trout) 96-hour LC50 > 100 ppm Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 100 ppm Bird (Bobwhite Quail) 14-day LD50 > 2150 mg/kg Green Algae 12-day EC50 35 ppb

Environmental Fate Triasulfuron:



AMBER® CUSTOM-PAK

Date: Replaces: 7/7/2015 3/31/2015

The information presented here is for the active ingredient, triasulfuron. Not persistent in soil or water. Moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA Not regulated

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Triasulfuron), Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Triasulfuron) Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if inhaled or absorbed through skin. Causes eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing.

EPA Registration Number(s): 100-768 EPCRA SARA Title III Classification: Section 311/312 Hazard Classes: Acute Health Hazard Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ): None



AMBER® CUSTO	M-PAK					
Date: 7/7/2015						
Replaces: 3/31/2015						
RCRA Hazardous Waste C	assification (40	CFR 261):				
Not Applicable						
TSCA Status:						
Exempt from TSCA, subject	t to FIFRA					
16. OTHER INFORMATION						
NFPA Hazard Ratings		HMIS Hazard Ratings	<u>b</u>	0	Minimal	
Health:	1	Health:	1	1	Slight	
Flammability:	1	Flammability:	1	2	Moderate	
Instability:	0	Reactivity:	0	-	Serious	
Syngenta Hazard Category: B				4	Extreme Chronic	
					Chronic	
	For non-	emergency questions a	about this product of	all:		
		1-800-334-94	481			
Original Issued Date:	10/3/1994					
Revision Date:	7/7/2015	Replaces:	3/31/2015			
Section(s) Revised: 2,	4, 11					