-	

1.

Version
Revision date
Print Date
Page

Identification of the substance/mixture and of the company/undertaking



1.1.	Product identifier Trade name	: CapSil
	Chemical Name	: Polyether-modified polysiloxane
1.2.	Recommended use of	the chemical and restrictions on use
	Recommended use	: Industrial Use
	Non-recommended use(s)	: None known.
1.3.	Details of the supplier	of the safety data sheet
	Company	: AQUATROLS CORPORATION OF AMERICA 1273 IMPERIAL WAY PAULSBORO, NJ 08066 USA

Telephone	: 1-800-257-7797
Telefax	: 1-856-537-6018
E-mail	: pedro.perdomo@aquatrols.com

1.4. Emergency telephone number

Emergency : Non-Emergency Phone Number : 1-800-257-7797 information In case of emergency call CHEMTEL US: 1-800-255-3924, CHEMTEL WORLD: 1-813-248-0585.

24 HOUR EMERGENCY TELEPHONE NUMBERS: CHEMTREC - US & CANADA toll free: +1-800-255-3924

2. 2.1.	Hazards identification Classification of the substance or mixture			
	Classification accordin	ng to Regulation 29CFR 1910.1200	1	
	Chronic aquatic toxicity		Category 3	H412
2.2.	Label elements			
	hazard statement	t : H412 - Harmful to aquatic life with long lasting effects.		
	Precautionary Statement	: P273 - Avoid release to the enviro	onment.	

CapSil	Version Revision date	1.12 / US 04/30/2015	Aquatrols
	Print Date Page	05/01/2015 2 / 10	

(Prevention)

Precautionary : P501 - Dispose of contents/container in accordance with local regulation. Statement (Disposal)

2.3. Other hazards

None known

3. Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Classification according to Regulation 29CFR 1910.1200

Chemical Name	NJ Trade secrets CAS-No.	Concentration	Classification
Polyether Modified	-	> 20.0000 %	
Polysiloxane (CASRN Proprietary)	-		

Texts of H phrases, see in Chapter 16

4. First aid measures

4.1. Description of first aid measures

General advice	: Remove soiled or soaked clothing immediately
Inhalation	: Remove individual from site of exposure to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
Skin contact	: Remove soiled or soaked clothing immediately. Wash off immediately with soap and water. Consult a physician if irritation persists.
Eye contact	: Flush eye(s) for 15 minutes or more; if irritation persists, consult a physician (preferably an eye specialist) and show MSDS.
Ingestion	: If swallowed, seek medical attention and show MSDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms : No special hints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing : foam, carbon dioxide, dry powder, water spray. media Unsuitable : Full water jet extinguishing media

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: - Carbon monoxide, carbon dioxide, silicon dioxide

5.3. Advice for firefighters

CapSil	Version Revision date	1.12 / US 04/30/2015	Aquatrols
	Print Date Page	05/01/2015 3 / 10	

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

Collect contaminated firefighting water separately, must not be discharged into the drains.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. **Environmental precautions**

Do not allow to enter drains or waterways Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder) Dispose of absorbed material in accordance with the regulations.

7. Handling and storage

7.1. Precautions for safe handling

Ad vice on safe handling	: No special measures necessary if stored and handled as prescribed.
Handling	: no data available
Hygiene measures	: No smoking, eating or drinking allowed when using this product. Wash hands before breaks and at end of work shift.
General protective measures	: Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin

7.2. Conditions for safe storage, including any incompatibilities

Prevention of fire and explosion

Information : No special measures required.

Storage

Information	: none
Further information on storage conditions	: Keep container closed.

8. Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)

Ingredients	CAS-No.	Statutory basis/list (Update)	Value type (Form of exposure; Expressed as)	Value	Short-term
Polyether Modified Polysiloxane (CASRN Proprietary)		OSHA PEL	TWA		
	Not Established	b			

8.2. Exposure controls

Engineering controls

Appropriate

: Good general (mechanical) ventilation should be sufficient to control airborne levels.

CapSil

ווסק	Version Revision date Print Date Page	1.12 / US 04/30/2015 05/01/2015 4 / 10	Aquatrols

engineering controls

Personal protective equipment

Eye protection	: Use chemical resistant goggles.
Hand protection	: PVC gloves The protective gloves to be worn must satisfy the specifications of EC Guideline 89/686/EEC and the resulting Standard EN374.
Body Protection	: protective clothing
Respiratory protection	: In case of vapors/aerosols: Use respiratory protective equipment, cartridge for organic gases and vapors.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: liquid
Form	: liquid
Colour	: yellowish
Odour	: slight, typical
Odour Threshold	: not measured
рН	: not applicable
Melting point	: not measured
Boiling point	: not measured
Flash point	: >212 °F Method: TAG CC
Evaporation rate	: Unavailable
Flammability	: no data available
Upper Explosion/Ignition Limit	: not measured
Lower explosion limit	: not measured
Vapour pressure	: not measured
Relative vapour density	: not measured
Relative density	: no data available
Solubility	: not measured
Water solubility	: soluble
Partition coefficient (n-octanol/water)	: not measured

SAFETY DATA SHEET (SDS-US)					
CapSil	l				
			Version Revision date Print Date Page	1.12 / US 04/30/2015 05/01/2015 5 / 10	Aquatrols
	Autoignition temperature	: not m	easured		
	Thermal decomposition	: not m	easured		
	Viscosity, kinematic	: no dat	ta available		
	Viscosity, dynamic	: not de	etermined		
	Explosive properties	: not m	easured		
	Oxidising properties	: not m	easured		
9.2.	Other information				
	Density	: ca.1 g	g/cm3		
	Metal corrosion	: not m	easured		
	Ignition temperature	: not m	easured		
10.	Stability and reacti	vity			
10.1.	Reactivity				
	see section "Possibilit	y of ha zard	ous reactions"		
10.2.	Chemical stability				
	The product is stable	under norm	al conditions.		
		-			

10.3. Possibility of hazardous reactions

No No hazardous reactions with proper storage and handling.

10.4. Conditions to avoid

None with proper storing and handling.

10.5. Incompatible materials

Unknown

10.6. Hazardous decomposition products

None with proper storage and handling.

11. Toxicological information

11.1. Information on toxicological effects

Acute to xicity (oral)	: LD50 Species: Rat Dose: 3,612 mg/kg
Acute to xicity (inhalation)	: Acute to xicity estimate (ATEmix)
	Test atmosphere: Dust/Mist Dose: > 5 mg/l

Method: Calculation method

CapSil

CapSil				
		Version Revision date Print Date Page	1.12 / US 04/30/2015 05/01/2015 6 / 10	Aquatrols
Acute toxicity (dermal)	:	LD50 Species: rat Dose: > 2,000 mg/kg		
Irritation/corrosion of the skin	:	Species : rabbit Result: slight irritant effect - does	not require labe	ling
Serious eye damage/ eye irritation	:	Species: rabbit Result: slight irritant effect - does Remarks: Tested as undiluted pro		ling
Respiratory/skin sensitization	:	no data available		
Repeated dose toxicity	:	no data available		
CMR assessment				
Carcinogenicity	:	no data available		
Mutagenicity	:	no data available		
Teratogenicity	:	no data available		
Toxicity to reproduction	:	no data available		
Carcinogenicity	:	Not listed by NTP, IARC, ACGIH	, or OSHA as a	carcinogen.
Specific Target Organ Toxicity - Single exposure	:	no data available		
Specific Target Organ Toxicity - Repeated exposure	:	no data available		
Aspiration hazard	:	No Aspiration toxicity classification	า	
Other information	:	Proper use provided, no adverse come to our knowledge. Eye contact may produce an oil fi shortlasting dimness of sight.		ave been observed or have been ball causing a harmless reversible

12. Ecological information

12.1.

Ecotoxicology Assessment

Acute aquatic toxicity	:	no data available
Chronic aquatic toxicity	:	no data available
Toxicity		
Aquatoxicity, fish	:	Species: rainbow trout Exposure duration: 96 h LC50: 12 mg/l Method: OECD 203
Aquatoxicity, invertebrates	:	Species: Daphnia magna Exposure duration: 48 h EC50: 110 mg/l

	TY DATA SHEE	T (SDS-US)		
CapSil		Version Revision date Print Date Page	1.12 / US 04/30/2015 05/01/2015 7 / 10	Aquatrols
		Method: OECD 202		
	Aquatoxicity, algae / aquatic plants	: Exposure duration: 72 h ErC50: > 100 mg/l Method: OECD 201		
	Toxicity in microorganisms	: no data available		
	chronic toxicity in fish	: no data available		
	Chronic toxicity in aquatic Invertebrates	: no data available		
	Toxicity in organisms which live in the soil	: no data available		
	Toxicity in terrestrial plants	: no data available		
	Toxicity to Above- Ground Organisms	: no data available		
12.2.	Persistence and degra	adability		
	Photodegradation	: no data available		
	Biological degradability	: no data available		
	Physico-chemical removability	: no data available		
	Biochemical Oxygen Demand (BOD)	: no data available		
	Chemical Oxygen Demand (COD)	: 1,900 mg/g		
	relation of BOD/COD	: no data available		
	Dissolved organic carbon (DOC)	: no data available		
	Adsorbed organic bound halogens (AOX)	: no data available		
	Distribution among environmental compartments	: no data available		
12.3.		ntial		
	Bioaccumulation	: no data available		
12.4.	Mobility in soil			
	Environmental	: no data available		

Version	1.12 / US
Revision date	04/30/2015
Print Date	05/01/2015
Page	8 / 10

distribution

12.5. Results of PBT and vPvB assessment

PBT and vPvB : no data available assessment

12.6. Other adverse effects

General Information : The product is considered to be a water pollutant (German law). Do not allow to enter soil, waterways or waste water canal.

13.	Disposal considerations				
13.1.	13.1. Waste treatment methods				
	Product	: In accordance with local authority regulations, take to special waste incineration plant			
	Contaminated packaging	: If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.			

14. **Transport information**

Not dangerous according to transport regulations.

14.1	UN number:	
14.2	UN proper shipping name:	
14.3	Transport hazard class (es):	
14.4	Packing group:	
14.5	Environmental hazards:	
14.6	Special precautions for user:	No

15. **Regulatory information**

Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the (M)SDS contains all information required by the Controlled Products Regulation

Canada

: WHMIS CLASSIFICATION

Non-WHMIS All intentional ingredients are listed on the DSL (Domestic Substance List) or have been notified pursuant to the NSN regulations.

US regulations: SAR A Title III Section 311/312 Hazard Categories	:	Acute Health Hazard
Other regulations	:	CTFA: complies
State Right to Know	:	No components subject to "Right-To-Know" legislation in the following States: NJ, PA, MA and RI
		SARA 313: This product contains no SARA Title III, Section 313 listed chemicals.

SAFETY DATA SH	EET (SDS-US)			
CapSil	Version Revision date Print Date Page	1.12 / US 04/30/2015 05/01/2015 9 / 10	Aquatrols	
	SAR A EHS: NO			
Califomia Proposition 65 Statement	: Notification : No This product does not contain any substance(s) which are defined by the state of California to cause cancer, birth defects, or other reproductive effects.			
HMIS Ratings	Health: Flammability: Reactivity: Personal Protection:	2 1 0 X		
Notification status				
USA (TSCA) Canada (DSL)	: listed/registered or exempted : listed/registered or exempted			

16. Other information

List of references

Revision date : 04/30/2015

Changes since the last version are highlighted in the margin. This version replaces all previous versions. This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Aquatrols Corporation of America assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. AQUATROLS CORPORATION OF AMERICA EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF AQUATROLS CORPORATION OF AMERICA IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Aquatrols Corporation of America reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

CapSil	Version Revision date Print Date	1.12 / US 04/30/2015 05/01/2015	Aquatrols
	Page	10 / 10	

Legend

ADR	European Agreement conceming the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland
	Waterways
ADNR	European agreement concerning the international carriage of dangerous goods by inland
	waterways (ADN)
ASTM	American Society for Testing and Materials
ATP BCF	Adaptation to Technical Progress Bioconcentration factor
BetrSichV	German Ordinance on Industrial Safety and Health
C.C.	closed cup
CAS	Chemical Abstract Services
CESIO	European Committee of Organic Surfactants and their Intermediates
Chem G	German Chemicals Act
CMR	carcinogenic-mutagenic-toxic for reproduction
DIN	German Institute for Standardization
DMEL	Derived minimum effect level
DNEL	Derived no effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EC50 GefStoffV	half maximal effective concentration German Ordinance on Hazardous Substances
GGVSEB	German ordinance on nazardous Substances German ordinance for road, rail and inland waterway transportation of dangerous goods
GGVSEe	German ordinance for sea transportation of dangerous goods
GLP	Good Laboratory Practice
GMO	Genetic Modified Organism
ΙΑΤΑ	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ISO	International Organization For Standardization
LOAEL	Lowest observed adverse effect level
LOEL	Lowest observed effect level
NOAEL NOEC	No observed adverse effect level no observed effect concentration
NOEL	no observed effect level
0. C.	open cup
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccum ulative, to xic
PEC	Predicted effect concentration
PNEC	Predicted no effect concentration
REACH	REACH registration
RID	Convention concerning International Carriage by Rail
STOT SVHC	Specific Target Organ Toxicity Substances of Very High Concern
TA	Technical Instructions
TPR	Third Party Representative (Art. 4)
TRGS	Technical Rules for Hazardous Substances
VCI	German chemical industry association
vPvB	very persistent, very bioaccum ulative
VOC	volatile organic compounds
VwVwS	German Administrative Regulation on the Classification of Substances Hazardous to Waters
	into Water Hazard Classes
WGK WHO	Water Hazard Class
	World Health Organization